

AQUADOSER cased 230vAC pumps

Specification Sheet 1 (last updated May 2010)



200 fixed speed (200-AQUADOSER-FS-050)

Pump reliability and performance are critical to Aquarium users. Whether it is water recirculation or replenishment, for nutrient dosing, or mineral/pH adjustment, users need to depend on the pump for accurate dosing and long term reliability.

To meet this need we have developed the new AQUADOSER range of peristaltic pumps, offering a compact and low cost pump capable of continuous running*, in either variable or fixed speed configurations.

All Aquadoser pumps are available with two pump head types, the 100 series, pictured below, for lower flows and the 200 series, pictured left, for higher outputs. There are various configurations of tubing type/ID and they are self priming up to 5m from dry with a max head pressure of 10m.

AQUADOSER dimensions: Height 140 x Width 87 x Depth 87mm

The key benefit of peristaltic pumps is that only the inner surface of the tubing comes into contact with the fluid thereby minimising the risk of contamination and making regular servicing of the pump extremely simple. There are two tube materials and three sizes giving a wide range of flows. The 100 & 200 models are fitted with peroxide cured silicone tubing and the 101 & 201 models are fitted with Norprene tubing which is more durable and less prone to splitting when worn out.

Additionally peristaltic pumps are some of the best self-priming pumps available, ensuring quick and easy installation and set-up. Replacement pump head assemblies are inexpensive, and all the replacement process involves is undoing two screws and swapping the pump head over on the motor shaft - all done in about two minutes!

For applications where the pump is dosing aggressive or corrosive fluids we can supply alternative chemically resistant pump tubing - please contact us to discuss.

For ease of installation the Fixed speed AQUADOSER pumps are fitted with a 2m cable and fused UK 3-pin plug for use on 230v 50Hz UK mains voltage. The Variable speed AQUADOSER pumps are supplied with an adjustment knob on the front face of the box and are supplied with an inline power supply unit (which should be mounted above the pump and in a dry area). Other power supply options such as 6 volt DC, 24 volt DC, and 110 volt AC (fixed speed only) are available (to order only).

Replacement pump heads and other spares are available. NB: - The Variable speed pumps are fitted with a brushed DC gear motor so efforts should be made not to run the pump continuously to minimise brush wear. The brushes are expected to last approximately 2500 hours under normal conditions. The gear motors are available as a spare part.

* Continuous running should be avoided where ever possible to maximise pump life. Plug in clock timers (available from most hardware stores) can be used to avoid running the pump continuously.

The easiest way to place an order is via our online shop at <http://www.williamson-shop.co.uk> but please contact us for any requirements not listed or to place an order over the phone.



100 Fixed speed (100-AQUADOSER-FS-030/4)

The Williamson Manufacturing Company Ltd provides no warranty on usage of pumps. We recommend that life tests be carried out prior to use. This information is given in good faith and believed to be correct and current at time of publishing. The Williamson Manufacturing Company Ltd cannot accept responsibility for its inaccuracy or any errors or omissions contained herein. Copyright The Williamson Manufacturing Company Ltd 2008

AQUADOSER cased 230vAC pumps

Specification Sheet 2 (last updated May 2010)



The Aquadoser range of pumps are available in various configurations of tubing type/ID bore as detailed below. All prices are plus carriage & plus VAT at the prevailing UK rate.

The easiest way to place an order is via our online shop at <http://www.williamson-shop.co.uk> but please contact us for any requirements not listed or to place an order over the phone.

Pumps

Model No	Series	ml/min	Rollers	RPM	Voltage	Tube id/material	Price
100-Aqua-FS-016/4	100 series fixed speed	2.0000	4	30rpm	230v	1.6mm Silicone	£53.47
101-Aqua-FS-016/4	100 series fixed speed	2.0000	4	30rpm	230v	1.6mm Norprene®	£55.70
100-Aqua-FS-030/4	100 series fixed speed	7.0000	4	30rpm	230v	3.0mm Silicone	£53.47
101-Aqua-FS-030/4	100 series fixed speed	7.0000	4	30rpm	230v	3.0mm Norprene®	£55.70
100-Aqua-SC-016/4	100 series speed control	7.0000	4	80rpm	115-230v	1.6mm Silicone	£108.21
101-Aqua-SC-016/4	100 series speed control	7.0000	4	80rpm	115-230v	1.6mm Norprene®	£110.33
100-Aqua-SC-030/4	100 series speed control	18.0000	4	80rpm	115-230v	3.0mm Silicone	£108.21
101-Aqua-SC-030/4	100 series speed control	18.0000	4	80rpm	115-230v	3.0mm Norprene®	£110.33
200-Aqua-FS-016	200 series fixed speed	6.0000	3	30rpm	230v	1.6mm Silicone	£60.15
201-Aqua-FS-016	200 series fixed speed	6.0000	3	30rpm	230v	1.6mm Norprene®	£62.38
200-Aqua-FS-030	201 series fixed speed	17.0000	3	30rpm	230v	3.0mm Silicone	£60.15
201-Aqua-FS-030	202 series fixed speed	17.0000	3	30rpm	230v	3.0mm Norprene®	£62.38
200-Aqua-FS-050	200 series fixed speed	36.0000	3	30rpm	230v	5.0mm Silicone	£60.15
201-Aqua-FS-050	201 series fixed speed	36.0000	3	30rpm	230v	5.0mm Norprene®	£62.38
200-Aqua-SC-016	200 series speed control	14.0000	3	80rpm	115-230v	1.6mm Silicone	£114.58
201-Aqua-SC-016	200 series speed control	14.0000	3	80rpm	115-230v	1.6mm Norprene®	£116.70
200-Aqua-SC-030	200 series speed control	40.0000	3	80rpm	115-230v	3.0mm Silicone	£114.58
201-Aqua-SC-030	200 series speed control	40.0000	3	80rpm	115-230v	3.0mm Norprene®	£116.70
200-Aqua-SC-050	200 series speed control	84.0000	3	80rpm	115-230v	5.0mm Silicone	£114.58
201-Aqua-SC-050	200 series speed control	84.0000	3	80rpm	115-230v	5.0mm Norprene®	£116.70

Spare Parts

Model No	Series	Number Rollers	Tube id/material	Price
100.PH.016/4	100 fixed & variable	4	1.6mm Silicone	£6.96
100.PH.030/4	100 fixed & variable	4	3mm Silicone	£6.96
101.PH.016/4	101 fixed & variable	4	1.6mm Norprene®	£8.35
101.PH.030/4	101 fixed & variable	4	3mm Norprene®	£8.35
200.PH.016	200 fixed & variable	3	1.6mm silicone	£10.03
200.PH.030	200 fixed & variable	3	3mm silicone	£10.03
200.PH.050	200 fixed & variable	3	5mm silicone	£10.03
201.PH.016	200 fixed & variable	3	1.6mm Norprene®	£12.25
201.PH.030	200 fixed & variable	3	3mm Norprene®	£12.25
201.PH.050	200 fixed & variable	3	5mm Norprene®	£12.25
MTR-12-70-AQUA	Variable speed models	n/a	all n/a	£25.73
MTR-230-30-AQUA	Fixed speed models – 230VAC	n/a	all n/a	£25.73

The Williamson Manufacturing Company Ltd provides no warranty on usage of pumps. We recommend that life tests be carried out prior to use. This information is given in good faith and believed to be correct and current at time of publishing. The Williamson Manufacturing Company Ltd cannot accept responsibility for its inaccuracy or any errors or omissions contained herein. Copyright The Williamson Manufacturing Company Ltd 2008